



Botany Industrial Park

Botany Industrial Park Community Consultative Committee

Minutes of Meeting 10/12/2018

Attendees

Name	Appointment	Affiliation
Community		
Lynda Newnam	Community	LaPerouse
Regulators		
Judith Betts	Environmental Scientist	Bayside Council
BIP Members		
Peter Beattie	Operations Manager	Qenos Olefines
Paul Cooper	Operations Manager	Qenos Polythene
Paul Uhrig	Safety Engineer	Qenos
Richard Benson	Operations Manager	Botany Industrial Park
Lauren Sibigroth	Site Environmental Advisor	Botany Industrial Park
Industry Neighbours		
Ryan Halloran	Project Manager	Holcim
Michelle Dudgeon	Facility Manager	Air Liquide

Apologies

Name	Appointment	Affiliation
BIP Members		
Antoinette Rizk	Alliance Contract Manager	Broadspectrum
Industry Neighbours		
Bob Manevski	Site Manager	Veolia
Paul Pui	Senior Analytical Consultant	SGS
Community		
Regulators		

Others on Mailing List

Name	Appointment	Affiliation
Community		
Stuart Delphin	Asst Security Manager	Westfield
Simon Simeou	Principal	Matrville Public School
		Pagewood Public School
Cathy Lucantonio	Principal	Banksmeadow Public School
Tony Pearce	Security Manager	Westfield, Eastgardens
Regulators		
Chris Ritchie		Department of Planning & Environment
BIP Members		
Linda Zachert	Office Manager	BIP and Ixom ChlorAlkali, Botany
Industry Neighbours		



Introduction and Welcome

Apologies:

- Antoinette Rizk

Business arising from last meeting

- None.

BIP Updates

- Very quiet period from last meeting.
- Submitted QRA in 2018 showing cumulative risk of BIP.

Qenos – Site Utilities / Olefines / Polythene

- Olefines plant shutdown early in November. Elevated flaring was short initially and then repeated several times as plant operations were stabilised.
- Cause of the trip was due to a failure of some instrument electronics in the extreme heat of the day.
- ERS call list was extended to the Maroubra police station.
- There was no elevated flaring on restart of the plant.
- All major work for the year is now completed and the plants are settling in for the Christmas /New Year run where staff levels reduce.
- Alkathene over 3228 days with no injuries!
- Alkatuff over 2075 days with no injuries!
- Paul Uhrig
 - Guide to Qenos Major Hazard Facilities (MHF), safety management, and Emergency Response on Qenos website and hardcopy available at public libraries in Botany area.
 - Updated safety case to minimise risk - due for renewal 2019.

Huntsman

- No report.

Orica

- No report.

Ixom

- No report.

BroadSpectrum

- No report.

Industrial Neighbours

- Air Liquid
 - No incidents, reliable operations and uninterrupted supply.
- Holcim
 - Traffic flyer sent to community in July for Q&A.
 - DA submitted 13 September 2018 for long- term concrete batching plant running 24 hour operations in Banksmeadow.
 - Three stage development commencing early 2019 with a small mobile plant.
 - Distribution of aggregate by approximately 80 trucks an hour inbound and outbound.
 - Railway distribution to follow with separate DA submission.



Community

- ACF report flawed – does not include emissions from ports, road or undocumented data.
- Urged necessity for circular economy submissions.
- Need for holistic view of traffic and noise in Botany area.

Authority Updates

- No Report.

Bayside Council

- No report.

Sydney Water

- No report.

SafeWork NSW

- No report.

General Business

- 3 Port Sepp Amendments sent to Department of Planning on December 3.
- Concern with increasing traffic, dust and noise potential around Botany area.

Meeting closed 2:34 pm